


## Observa™


Observa™ is a laminated mirror offering high quality one-way vision that effectively provides discreet, unobtrusive monitoring. It has the appearance of a mirror on the subject side providing privacy for observers. Observa™ is a Grade A laminated Safety glass.

---

### Features




**Discretion and Privacy** Observa™ achieves privacy for observers as long as a light ratio of 1:7 is achieved, where the subject side is brightly illuminated and the observer side is dimly lit.



**Versatility**Observa™ can be tailored to suit a variety of applications and needs, for example adding a heavy interlayer to provide enhanced protection.



**Safety & Security** Observa is a grade A safety glass.



**Noise Control** Observa is laminated to reduce noise transmission.

---

## **Product Range**

**Bronze**

Available Thickness (mm) 8.76

Maximum Sheet Size (mm) 3660x2440

---

## **Applications**

### **Internal**

- Doors
  - Partitions
-

## Technical Data

### Considerations

#### Light Ratio

A light ratio of 1:7 is recommended, where the subject side is brightly illuminated and the observer side is dimly lit.

#### Installation

Exposed edges must be protected from moisture ingress. Bright lighting sources must be avoided in the observers area and spotlights directed away from the Observa surface. We recommend using dark furnishing colours and that dark clothing be worn in the observation area. The reflective surface must be installed to the subject side.

#### Glass Processing

Cannot be toughened or heat strengthened.

#### Glazing

Glazing should be in accordance with the Australian Standard AS1288-2006, New Zealand Standard NZS4223 and Oceania Glass' recommendations for laminated glass.

#### Application

Not suitable for exterior windows.

### How to Specify

Glass Thickness available:

- **Observa** 8.76mm

Select from: Laminated

All glass is to be selected and installed in accordance but not exclusively with the following Australian and/or New Zealand Standards

- AS 1288 Glass in Buildings Selection and Installation
- AS 1170 Minimum Wind Loads on Structures
- AS/NZ 2208 Safety Glazing Materials in Buildings
- AS/NZ 4666 Insulating Glass Units
- AS/NZ 4667 Quality Requirements for cut-to-size and Processed Glass

Oceania Glass makes and distributes glass. Oceania Glass does not process glass nor produce Insulated Glass Units. Processing of glass and production of Insulated Glass Units is undertaken by independent processors. Speak with your nominated glass processors to understand their processing capability.